

FLASHFORGE ADVENTURER-3 – 3D PRINTER

Give your design a real touch

New Generation Smart Single Extruder 3D Printer

Physical Characteristics:

Build envelope (volume):

150 x 150 x 150mm (5.5" X 5.5" X 5.5")

Layer thickness (Z-resolution): 0.1-0.4mm

Build speed: 40-100mm/s

Printing Material: 1.75mm

Filament Compatibility: ABS/PLA

Printer Size: 388x380x405mm

Gross Weight: 13kg (**Printer Weight:** 9kg)

Connectivity: USB Stick/Wi-Fi/Ethernet/Cloud Printing

Software: FlashPrint

Extruder: Single

Nozzle Diameter: 0.4mm

Camera for remote monitoring,

Printer Body: Fully enclosed



Specifications:

Input Format: STL / OBJ/ 3MF

Operating Systems: Windows 7,8,8.1, 10, OSX, Mac

Positioning Precision: 0.0025mm on Z axis, 0.011mm on XY axes

Operation requirement:

Extruder Temp.: Max. 240 °C

Heat Bed Temp.: Max. 100°C

Power Requirement: Input: 100-240 V, amps, 47-63 Hz,

Output: 24V, 6.25A. Power Consumption: 150W

Why from Us:

- Local Warranty & Technical Support
- 1 Filament (0.6KG) Spool of ABS/PLA Filament.

System requirement:

- i5 Processor, 2GB Graphics Card, OpenGL 2.1

3D Spectra Technologies LLP

Flat No. 3, Punyanagari Co- Op Hsg Soc D- Wing,

Near Amrapali Petrol pump,

Off Bibwewadi Road, Bibwewadi Pune-411037

M: +91 9623693654

E: sales@3dspectratech.com W: www.3dspectratech.com