

UP MINI 2 – 3D PRINTER

Give your design a real touch

Compact 3D Printer with high precision

Physical Characteristics:

Build envelope (volume):

120(W) x 120(H) x 120(D) mm (4.7”(W)
x 4.7”(H) x 4.7”(D))

Layer thickness (Z-resolution):

0.15 -0.35 mm

Build speed: 5 cm³/hr - 100 cm³/hr

Printing Material: 1.75mm ABS & PLA

Printer Size: 255(W) × 365 (H) × 385(D) mm (10.0”(W) × 14.4” (H) × 15.2”(D))

Printer Weight: 8 KG (20.3 lb)

Heated Build Platform: Yes

Connectivity: USB (spools job to printer from computer),WI-FI

Software: Smart 3D Visual Print Software Included



Specifications:

Power Requirement: 110-240VAC, 50-60 Hz, 90W

Model Support: Auto-generated support

Input Format: STL, UP3, UPP

Operating Systems: Win XP/7/8/10, Mac OS

Operation requirement:

Optimal temperature: 15°C - 30°C

Relative humidity: 20% -50%

Power requirements: 100-240VAC, 50-60Hz, 90W

Unique Features:

- The final parts are tough enough to withstand rigorous post-processing, like painting, polishing, drilling, etc.
- The final parts can be easily removed from the platform with hands or simple tools, like spade.
- Automatic Nozzle Height Detection
- Touch Screen Control
- Build-in HEPA Air Filtration
- Capability To Print In 0.15mm

Why from Us:

- Local Warranty & Technical Support
- 1 Spool of ABS/PLA Filament

System requirement:

- i5 Processor, 2GB Graphics Card, OpenGL2.1

3D Spectra Technologies LLP

Flat No. 3, Punyanagari Co- Op Hsg Soc D- Wing,

Near Amrapali Petrol pump,

Off Bibwewadi Road, Bibwewadi Pune-411037

M: +91 9623693654

E: sales@3dspectratech.com W: www.3dspectratech.com



3D SPECTRA TECH
A world of 3D offerings